

```
20220425 20:30:24.094 | ERROR | com.sebulli.fakturama.common [ OSGI_BUNDLE ] |  
Can't show the error message in Error View because no EventBroker is available!  
20220425 20:30:24.110 | ERROR | | Exception occurred:  
java.io.IOException: org.apache.poi.xssf.usermodel.XSSFWorkbookFactory not found  
- check if poi-ooxml-*.jar is on the classpath.  
    at  
org.apache.poi.ss.usermodel.WorkbookFactory.initFactory(WorkbookFactory.java:351  
)  
    at  
org.apache.poi.ss.usermodel.WorkbookFactory.initXssf(WorkbookFactory.java:336)  
    at  
org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:255)  
    at  
org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:221)  
    at  
com.sebulli.fakturama.LifecycleManager.initializeCodes(LifecycleManager.java:364  
)  
    at  
com.sebulli.fakturama.LifecycleManager.fillWithInitialData(LifecycleManager.java  
:316)  
    at  
com.sebulli.fakturama.LifecycleManager.processAdditions(LifecycleManager.java:48  
0)  
    at  
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
    at  
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAcces  
sorImpl.java:77)  
    at  
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMet  
hodAccessorImpl.java:43)  
    at java.base/java.lang.reflect.Method.invoke(Method.java:568)  
    at  
org.eclipse.e4.core.internal.di.MethodRequestor.execute(MethodRequestor.java:58)  
    at  
org.eclipse.e4.core.internal.di.InjectorImpl.invokeUsingClass(InjectorImpl.java:  
319)  
    at  
org.eclipse.e4.core.internal.di.InjectorImpl.invoke(InjectorImpl.java:247)  
    at  
org.eclipse.e4.core.contexts.ContextInjectionFactory.invoke(ContextInjectionFact  
ory.java:147)  
    at  
org.eclipse.e4.ui.internal.workbench.swt.E4Application.createE4Workbench(E4Appli  
cation.java:268)  
    at  
org.eclipse.e4.ui.internal.workbench.swt.E4Application.start(E4Application.java:  
155)  
    at  
org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:203)  
    at  
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(Ecli  
pseAppLauncher.java:134)  
    at
```

```

org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:104)
    at
org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:401)
    at
org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:255)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:568)
        at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:653)
        at org.eclipse.equinox.launcher.Main.basicRun(Main.java:590)
        at org.eclipse.equinox.launcher.Main.run(Main.java:1461)
20220425 20:30:25.147 | WARN | c.s.f.v.d.AbstractViewDataTable.onStart:263 |
fakturamaviews.properties not found, skipping load
20220425 20:30:55.131 | WARN | c.s.f.v.d.AbstractViewDataTable.onStart:263 |
fakturamaviews.properties not found, skipping load
20220425 20:30:57.975 | WARN | c.s.f.v.d.AbstractViewDataTable.onStart:263 |
fakturamaviews.properties not found, skipping load
20220425 20:31:43.192 | ERROR | c.s.f.w.WebShopImportManager.execute:196 |
Fehler beim Verbinden mit dem Webserver.
20220425 20:32:59.453 | ERROR | c.s.f.w.WebShopImportManager.execute:196 |
Fehler beim Öffnen von:
https://www.sportbekleidung-vereinsbekleidung.de/adminHQGFDKQBHM/fakturama_connector.php
Message: null

Trace:
org.eclipse.persistence.jaxb.JAXBUnmarshaller.handleXMLMarshalException(JAXBUnmarshaller.java:1137)

20220425 20:33:30.892 | ERROR | c.s.f.w.WebShopImportManager.execute:196 |
Fehler beim Öffnen von:
http://www.sportbekleidung-vereinsbekleidung.de/adminHQGFDKQBHM/fakturama_connector.php
Message: null

Trace:
org.eclipse.persistence.jaxb.JAXBUnmarshaller.handleXMLMarshalException(JAXBUnmarshaller.java:1137)

20220425 20:34:52.453 | ERROR | c.s.f.w.WebShopImportManager.execute:196 |
Fehler beim Öffnen von:
http://www.sportbekleidung-vereinsbekleidung.de/adminHQGFDKQBHM/fakturama_connector.php
Message: null

Trace:
org.eclipse.persistence.jaxb.JAXBUnmarshaller.handleXMLMarshalException(JAXBUnmarshaller.java:1137)

```

rshaller.java:1137)

20220425 20:35:05.181 | ERROR | c.s.f.w.WebShopImportManager.execute:196 |
Fehler beim Öffnen von:
http://www.sportbekleidung-vereinsbekleidung.de/admin/fakturama_connector.php
Message: null

Trace:

org.eclipse.persistence.jaxb.JAXBUnmarshaller.handleXMLMarshalException(JAXBUnma
rshaller.java:1137)

20220425 20:35:45.897 | ERROR | c.s.f.w.WebShopImportManager.execute:196 |
Fehler beim Öffnen von:
https://www.sportbekleidung-vereinsbekleidung.de/adminHQGFDKQBHM/fakturama_connector.php
Message: null

Trace:

org.eclipse.persistence.jaxb.JAXBUnmarshaller.handleXMLMarshalException(JAXBUnma
rshaller.java:1137)

20220425 20:37:52.688 | ERROR | com.sebulli.fakturama.common [OSGI_BUNDLE] |
Can't show the error message in Error View because no EventBroker is available!
20220425 20:37:52.691 | ERROR | | Exception occurred:
java.io.IOException: org.apache.poi.xssf.usermodel.XSSFWorkbookFactory not found
- check if poi-ooxml-*.jar is on the classpath.

at
org.apache.poi.ss.usermodel.WorkbookFactory.initFactory(WorkbookFactory.java:351
)
at
org.apache.poi.ss.usermodel.WorkbookFactory.initXssf(WorkbookFactory.java:336)
at
org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:255)
at
org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:221)
at
com.sebulli.fakturama.LifecycleManager.initializeCodes(LifecycleManager.java:364
)
at
com.sebulli.fakturama.LifecycleManager.fillWithInitialData(LifecycleManager.java
:316)
at
com.sebulli.fakturama.LifecycleManager.processAdditions(LifecycleManager.java:48
0)
at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAcces
sorImpl.java:77)
at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMet
hodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:568)
at

```
org.eclipse.e4.core.internal.di.MethodRequestor.execute(MethodRequestor.java:58)
    at
org.eclipse.e4.core.internal.di.InjectorImpl.invokeUsingClass(InjectorImpl.java:
319)
    at
org.eclipse.e4.core.internal.di.InjectorImpl.invoke(InjectorImpl.java:247)
    at
org.eclipse.e4.core.contexts.ContextInjectionFactory.invoke(ContextInjectionFact
ory.java:147)
    at
org.eclipse.e4.ui.internal.workbench.swt.E4Application.createE4Workbench(E4Appli
cation.java:268)
    at
org.eclipse.e4.ui.internal.workbench.swt.E4Application.start(E4Application.java:
155)
    at
org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:203)
    at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(Ecli
pseAppLauncher.java:134)
    at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLau
ncher.java:104)
    at
org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:401)
    at
org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:255)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAcces
sorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMet
hodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
    at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:653)
    at org.eclipse.equinox.launcher.Main.basicRun(Main.java:590)
    at org.eclipse.equinox.launcher.Main.run(Main.java:1461)
20220425 20:44:05.605 | ERROR | com.sebulli.fakturama.common [ OSGI_BUNDLE ] |
Can't show the error message in Error View because no EventBroker is available!
20220425 20:44:05.620 | ERROR | | Exception occurred:
java.io.IOException: org.apache.poi.xssf.usermodel.XSSFWorkbookFactory not found
- check if poi-ooxml-*.jar is on the classpath.
    at
org.apache.poi.ss.usermodel.WorkbookFactory.initFactory(WorkbookFactory.java:351
)
    at
org.apache.poi.ss.usermodel.WorkbookFactory.initXssf(WorkbookFactory.java:336)
    at
org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:255)
    at
org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:221)
    at
```

```
com.sebulli.fakturama.LifecycleManager.initializeCodes(LifecycleManager.java:364
)
    at
com.sebulli.fakturama.LifecycleManager.fillWithInitialData(LifecycleManager.java
:316)
    at
com.sebulli.fakturama.LifecycleManager.processAdditions(LifecycleManager.java:48
0)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAcces
sorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMet
hodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
    at
org.eclipse.e4.core.internal.di.MethodRequestor.execute(MethodRequestor.java:58)
    at
org.eclipse.e4.core.internal.di.InjectorImpl.invokeUsingClass(InjectorImpl.java:
319)
    at
org.eclipse.e4.core.internal.di.InjectorImpl.invoke(InjectorImpl.java:247)
    at
org.eclipse.e4.core.contexts.ContextInjectionFactory.invoke(ContextInjectionFacto
ry.java:147)
    at
org.eclipse.e4.ui.internal.workbench.swt.E4Application.createE4Workbench(E4Appli
cation.java:268)
    at
org.eclipse.e4.ui.internal.workbench.swt.E4Application.start(E4Application.java:
155)
    at
org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:203)
    at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(Ecli
pseAppLauncher.java:134)
    at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLau
ncher.java:104)
    at
org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:401)
    at
org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:255)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAcces
sorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMet
hodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
```

```
    at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:653)
    at org.eclipse.equinox.launcher.Main.basicRun(Main.java:590)
    at org.eclipse.equinox.launcher.Main.run(Main.java:1461)
20220425 20:44:12.378 | ERROR | c.s.f.w.WebShopImportManager.execute:196 |
Fehler beim Öffnen von:
https://www.sportbekleidung-vereinsbekleidung.de/adminHQGFDKQBHM/fakturama_conne
ctor.php
Message: null
```

```
Trace:
org.eclipse.persistence.jaxb.JAXBUnmarshaller.handleXMLMarshalException(JAXBUnma
rshaller.java:1137)
```

```
20220425 20:44:36.836 | ERROR | c.s.f.w.WebShopImportManager.execute:196 |
Fehler beim Öffnen von:
https://www.sportbekleidung-vereinsbekleidung.de/adminHQGFDKQBHM/fakturama_conne
ctor.php
Message: null
```

```
Trace:
org.eclipse.persistence.jaxb.JAXBUnmarshaller.handleXMLMarshalException(JAXBUnma
rshaller.java:1137)
```

```
20220425 20:44:52.923 | ERROR | c.s.f.w.WebShopImportManager.execute:196 |
Fehler beim Öffnen von:
https://www.sportbekleidung-vereinsbekleidung.de/adminHQGFDKQBHM/fakturama_conne
ctor.php
Message: null
```

```
Trace:
org.eclipse.persistence.jaxb.JAXBUnmarshaller.handleXMLMarshalException(JAXBUnma
rshaller.java:1137)
```

```
20220425 20:46:52.915 | ERROR | com.sebulli.fakturama.common [ OSGI_BUNDLE ] |
Can't show the error message in Error View because no EventBroker is available!
20220425 20:46:52.922 | ERROR | | Exception occurred:
java.io.IOException: org.apache.poi.xssf.usermodel.XSSFWorkbookFactory not found
- check if poi-ooxml-*.jar is on the classpath.
```

```
    at
org.apache.poi.ss.usermodel.WorkbookFactory.initFactory(WorkbookFactory.java:351
)
    at
org.apache.poi.ss.usermodel.WorkbookFactory.initXssf(WorkbookFactory.java:336)
    at
org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:255)
    at
org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:221)
    at
com.sebulli.fakturama.LifecycleManager.initializeCodes(LifecycleManager.java:364
)
    at
com.sebulli.fakturama.LifecycleManager.fillWithInitialData(LifecycleManager.java
:316)
    at
```

```
com.sebulli.fakturama.LifecycleManager.processAdditions(LifecycleManager.java:48
0)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAcces
sorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMet
hodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
    at
org.eclipse.e4.core.internal.di.MethodRequestor.execute(MethodRequestor.java:58)
    at
org.eclipse.e4.core.internal.di.InjectorImpl.invokeUsingClass(InjectorImpl.java:
319)
    at
org.eclipse.e4.core.internal.di.InjectorImpl.invoke(InjectorImpl.java:247)
    at
org.eclipse.e4.core.contexts.ContextInjectionFactory.invoke(ContextInjectionFact
ory.java:147)
    at
org.eclipse.e4.ui.internal.workbench.swt.E4Application.createE4Workbench(E4Appli
cation.java:268)
    at
org.eclipse.e4.ui.internal.workbench.swt.E4Application.start(E4Application.java:
155)
    at
org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:203)
    at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(Ecli
pseAppLauncher.java:134)
    at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLau
ncher.java:104)
    at
org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:401)
    at
org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:255)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAcces
sorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMet
hodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
    at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:653)
    at org.eclipse.equinox.launcher.Main.basicRun(Main.java:590)
    at org.eclipse.equinox.launcher.Main.run(Main.java:1461)
20220425 20:49:00.728 | ERROR | com.sebulli.fakturama.common [ OSGI_BUNDLE ] |
Can't show the error message in Error View because no EventBroker is available!
20220425 20:49:00.731 | ERROR | | Exception occurred:
```

```
java.io.IOException: org.apache.poi.xssf.usermodel.XSSFWorkbookFactory not found
- check if poi-ooxml-*.jar is on the classpath.
    at
org.apache.poi.ss.usermodel.WorkbookFactory.initFactory(WorkbookFactory.java:351
)
    at
org.apache.poi.ss.usermodel.WorkbookFactory.initXssf(WorkbookFactory.java:336)
    at
org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:255)
    at
org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:221)
    at
com.sebulli.fakturama.LifecycleManager.initializeCodes(LifecycleManager.java:364
)
    at
com.sebulli.fakturama.LifecycleManager.fillWithInitialData(LifecycleManager.java
:316)
    at
com.sebulli.fakturama.LifecycleManager.processAdditions(LifecycleManager.java:48
0)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAcces
sorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMet
hodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
    at
org.eclipse.e4.core.internal.di.MethodRequestor.execute(MethodRequestor.java:58)
    at
org.eclipse.e4.core.internal.di.InjectorImpl.invokeUsingClass(InjectorImpl.java:
319)
    at
org.eclipse.e4.core.internal.di.InjectorImpl.invoke(InjectorImpl.java:247)
    at
org.eclipse.e4.core.contexts.ContextInjectionFactory.invoke(ContextInjectionFact
ory.java:147)
    at
org.eclipse.e4.ui.internal.workbench.swt.E4Application.createE4Workbench(E4Appli
cation.java:268)
    at
org.eclipse.e4.ui.internal.workbench.swt.E4Application.start(E4Application.java:
155)
    at
org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:203)
    at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(Ecli
pseAppLauncher.java:134)
    at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLau
ncher.java:104)
    at
```

```
org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:401)
    at
org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:255)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccess
sorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMet
hodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
    at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:653)
    at org.eclipse.equinox.launcher.Main.basicRun(Main.java:590)
    at org.eclipse.equinox.launcher.Main.run(Main.java:1461)
20220425 20:49:46.411 | ERROR | c.s.f.w.WebShopImportManager.execute:196 |
Fehler beim Öffnen von:
https://www.sportbekleidung-vereinsbekleidung.de/adminHQGFDKQBHM/fakturama_conne
ctor.php
Message: null
```

```
Trace:
org.eclipse.persistence.jaxb.JAXBUnmarshaller.handleXMLMarshalException(JAXBUnma
rshaller.java:1137)
```

```
20220425 20:50:06.157 | ERROR | c.s.f.w.WebShopImportManager.execute:196 |
Fehler beim Öffnen von:
https://www.sportbekleidung-vereinsbekleidung.de/adminHQGFDKQBHM/fakturama_conne
ctor.php
Message: null
```

```
Trace:
org.eclipse.persistence.jaxb.JAXBUnmarshaller.handleXMLMarshalException(JAXBUnma
rshaller.java:1137)
```

```
20220425 20:54:48.226 | ERROR | c.s.f.w.WebShopImportManager.execute:196 |
Fehler beim Öffnen von:
https://www.sportbekleidung-vereinsbekleidung.de/adminHQGFDKQBHM/fakturama_conne
ctor.php
Message: null
```

```
Trace:
org.eclipse.persistence.jaxb.JAXBUnmarshaller.handleXMLMarshalException(JAXBUnma
rshaller.java:1137)
```

```
20220425 20:54:59.093 | ERROR | c.s.f.w.WebShopImportManager.execute:196 |
Fehler beim Öffnen von:
http://www.sportbekleidung-vereinsbekleidung.de/adminHQGFDKQBHM/fakturama_connec
tor.php
Message: null
```

```
Trace:
org.eclipse.persistence.jaxb.JAXBUnmarshaller.handleXMLMarshalException(JAXBUnma
rshaller.java:1137)
```

20220425 20:55:09.923 | ERROR | c.s.f.w.WebShopImportManager.execute:196 |
Fehler beim Öffnen von:
http://sportbekleidung-vereinsbekleidung.de/adminHQGFDKQBHM/fakturama_connector.
php
Message: null

Trace:
org.eclipse.persistence.jaxb.JAXBUnmarshaller.handleXMLMarshalException(JAXBUnma
rshaller.java:1137)

20220425 20:55:19.703 | ERROR | c.s.f.w.WebShopImportManager.execute:196 |
Fehler beim Öffnen von:
https://sportbekleidung-vereinsbekleidung.de/adminHQGFDKQBHM/fakturama_connector
.php
Message: null

Trace:
org.eclipse.persistence.jaxb.JAXBUnmarshaller.handleXMLMarshalException(JAXBUnma
rshaller.java:1137)

20220425 20:57:55.971 | ERROR | c.s.f.w.WebShopImportManager.execute:196 |
Fehler beim Öffnen von:
http://sportbekleidung-vereinsbekleidung.de/adminHQGFDKQBHM/fakturama_connector.
php
Message: null

Trace:
org.eclipse.persistence.jaxb.JAXBUnmarshaller.handleXMLMarshalException(JAXBUnma
rshaller.java:1137)

20220425 21:02:09.601 | ERROR | c.s.f.w.WebShopImportManager.execute:196 |
Fehler beim Öffnen von:
http://sportbekleidung-vereinsbekleidung.de/adminHQGFDKQBHM/fakturama_connector.
php
Message: null

Trace:
org.eclipse.persistence.jaxb.JAXBUnmarshaller.handleXMLMarshalException(JAXBUnma
rshaller.java:1137)

20220425 21:02:12.391 | ERROR | c.s.f.w.WebShopImportManager.execute:196 |
Fehler beim Öffnen von:
http://sportbekleidung-vereinsbekleidung.de/adminHQGFDKQBHM/fakturama_connector.
php
Message: null

Trace:
org.eclipse.persistence.jaxb.JAXBUnmarshaller.handleXMLMarshalException(JAXBUnma
rshaller.java:1137)

20220425 21:16:22.091 | ERROR | c.s.f.w.WebShopImportManager.execute:196 |
Fehler beim Öffnen von:
http://sportbekleidung-vereinsbekleidung.de/adminHQGFDKQBHM/fakturama_connector.

php

Message: null

Trace:

org.eclipse.persistence.jaxb.JAXBUnmarshaller.handleXMLMarshalException(JAXBUnmarshaller.java:1137)

20220425 21:19:42.052 | ERROR | c.s.f.w.WebShopImportManager.execute:196 |

Fehler beim Öffnen von:

[http://sportbekleidung-vereinsbekleidung.de/adminHQGFDKQBHM/fakturama_connector.](http://sportbekleidung-vereinsbekleidung.de/adminHQGFDKQBHM/fakturama_connector.php)

php

Message: null

Trace:

org.eclipse.persistence.jaxb.JAXBUnmarshaller.handleXMLMarshalException(JAXBUnmarshaller.java:1137)